

Category table of Parts for Air conditioner

| | | | PUMY | | | | | | | | |
|----|--|---------|---------|---------|--|--|--|--|--|--|--|
| No | | | 250YBM | 300YBM | | | | | | | |
| | | | 10HP | 12HP | | | | | | | |
| 1 | Compressor (High pressure side /Low pressure side) | Model | ANB78 | ANB78 | | | | | | | |
| | | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | V[L] | 4.2 | 4.2 | | | | | | | |
| | | PS*V | 174.3 | 174.3 | | | | | | | |
| 2 | Oil separator | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | V[L] | 1.788 | 1.788 | | | | | | | |
| | | PS*V | 74.202 | 74.202 | | | | | | | |
| 3 | Accumulator | PS[bar] | 23 | 23 | | | | | | | |
| | | V[L] | 14.5 | 14.5 | | | | | | | |
| | | PS*V | 333.2 | 333.2 | | | | | | | |
| 4 | High pressure switch | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 21.7 | 21.7 | | | | | | | |
| | | PS*DN | 900.55 | 900.55 | | | | | | | |
| 5 | Heat exchanger | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 7.94 | 7.94 | | | | | | | |
| | | PS*DN | 329.5 | 329.5 | | | | | | | |
| 6 | Check joint | PS[bar] | - | - | | | | | | | |
| | | DN[ϕ] | - | - | | | | | | | |
| | | PS*DN | - | - | | | | | | | |
| 7 | Check valve | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 9.63 | 9.63 | | | | | | | |
| | | PS*DN | 399.645 | 399.645 | | | | | | | |
| 8 | CVblock | PS[bar] | - | - | | | | | | | |
| | | DN[ϕ] | - | - | | | | | | | |
| | | PS*DN | - | - | | | | | | | |
| 9 | Solenoid valve | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 7.94 | 7.94 | | | | | | | |
| | | PS*DN | 329.5 | 329.5 | | | | | | | |
| 10 | Linear expansion valve | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 7.94 | 7.94 | | | | | | | |
| | | PS*DN | 329.51 | 329.51 | | | | | | | |
| 11 | 4-way valve | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 22.2 | 22.2 | | | | | | | |
| | | PS*DN | 921.3 | 921.3 | | | | | | | |
| 12 | Strainer | PS[bar] | 23 | 23 | | | | | | | |
| | | DN[ϕ] | 26.8 | 26.8 | | | | | | | |
| | | PS*DN | 616.4 | 616.4 | | | | | | | |
| 13 | valve(BV2) | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 9.52 | 9.52 | | | | | | | |
| | | PS*DN | 395.08 | 395.08 | | | | | | | |
| 14 | valve(BV1) | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 22.2 | 22.2 | | | | | | | |
| | | PS*DN | 921.3 | 921.3 | | | | | | | |
| 15 | gas-liquid separator | PS[bar] | - | - | | | | | | | |
| | | V[L] | - | - | | | | | | | |
| | | PS*DN | - | - | | | | | | | |
| 16 | pipe(high pressure) | PS[bar] | 41.5 | 41.5 | | | | | | | |
| | | DN[ϕ] | 25.4 | 25.4 | | | | | | | |
| | | PS*DN | 1054.1 | 1054.1 | | | | | | | |
| 17 | pipe(low pressure) | PS[bar] | 23 | 23 | | | | | | | |
| | | DN[ϕ] | 25.4 | 25.4 | | | | | | | |
| | | PS*DN | 584.2 | 584.2 | | | | | | | |