

6. FAN CHARACTERISTICS CURVES


Ceiling concealed (Low noise/Low static pressure type)

PEFY-P-VMR-E-L/R, VMS1(L)-E

PEFY-P20,25VMR-E-L/R

External static pressure : 5Pa
Power source : 220,230,240V


Suction : Back inlet
— 50Hz
- - - 60Hz



PEFY-P32VMR-E-L/R

External static pressure : 5Pa
Power source : 220,230,240V


Suction : Back inlet
— 50Hz
- - - 60Hz



PEFY-P15VMS1(L)-E

External static pressure : 5Pa
Power source : 220,230,240V, 50/60Hz


Suction : Back inlet









PEFY-P15VMS1(L)-E







External static pressure : 15Pa
Power source : 220,230,240V, 50/60Hz

Suction : Back inlet





PEFY-P-VMR-E-L/R, VMS1(L)-E



6. FAN CHARACTERISTICS CURVES


Ceiling concealed (Low noise/Low static pressure type)

PEFY-P-VMR-E-L/R, VMS1(L)-E

PEFY-P32VMS1(L)-E

External static pressure : 35Pa
Power source : 220,230,240V, 50/60Hz


Suction : Back inlet



PEFY-P32VMS1(L)-E

External static pressure : 50Pa
Power source : 220,230,240V, 50/60Hz


Suction : Back inlet



PEFY-P40VMS1(L)-E

External static pressure : 5Pa
Power source : 220,230,240V, 50/60Hz


Suction : Back inlet



PEFY-P40VMS1(L)-E

External static pressure : 15Pa
Power source : 220,230,240V, 50/60Hz


Suction : Back inlet



PEFY-P40VMS1(L)-E

External static pressure : 35Pa
Power source : 220,230,240V, 50/60Hz


Suction : Back inlet



PEFY-P40VMS1(L)-E

External static pressure : 50Pa
Power source : 220,230,240V, 50/60Hz







Suction : Back inlet



6. FAN CHARACTERISTICS CURVES

Ceiling concealed (Low noise/Low static pressure type)


PEFY-P-VMR-E-L/R, VMS1(L)-E



PEFY-P63VMS1(L)-E

External static pressure : 35Pa
 Power source : 220,230,240V, 50/60Hz


Suction: Back inlet



PEFY-P63VMS1(L)-E

External static pressure : 50Pa
 Power source : 220,230,240V, 50/60Hz

Suction: Back inlet



PEFY-P-VMR-E-L/R, VMS1(L)-E