

### MXZ-2HA40VF MXZ-2HA40VF2 COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)	
	Unit A	Unit B	Total				220	230	240		
25	2.50	-	2.50 0.90 - 2.90	0.600 - 0.740	0.310	-	0.740	2.90	2.78	2.66	94
35	3.40	-	3.40 1.00 - 3.40	0.920 - 0.920	0.310	-	0.920	4.45	4.26	4.08	94
25+25	2.00	2.00	4.00 1.54 - 4.30	1.010 - 1.760	0.360	-	1.760	4.88	4.67	4.48	94
25+35	1.69	2.31	4.00 1.55 - 4.30	0.970 - 1.710	0.350	-	1.710	4.69	4.49	4.30	94

### MXZ-2HA40VF MXZ-2HA40VF2 HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Total				220	230	240	
25	3.15	-	3.15 1.00 - 3.50	1.270 0.460 - 1.400	6.64	6.35	6.08	87		
35	3.60	-	3.60 1.00 - 3.70	1.440 0.460 - 1.850	7.52	7.20	6.90	87		
25+25	2.15	2.15	4.30 1.00 - 4.70	0.910 0.213 - 1.650	4.75	4.55	4.36	87		
25+35	2.01	2.29	4.30 1.00 - 4.70	0.910 0.213 - 1.650	4.75	4.55	4.36	87		

## MXZ-2HA50VF MXZ-2HA50VF2 COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)	
	Unit A	Unit B	Total				220	230	240		
25	2.50	-	2.50 0.90 - 2.90	0.600 - 0.800	0.310	-	0.800	2.87	2.75	2.63	95
35	3.40	-	3.40 1.00 - 3.40	0.920 - 0.920	0.310	-	0.920	4.40	4.21	4.04	95
42	4.20	-	4.20 1.30 - 4.50	1.250 - 1.480	0.340	-	1.480	5.98	5.72	5.48	95
25+25	2.50	2.50	5.00 1.54 - 5.40	1.480 - 1.930	0.360	-	1.930	6.94	6.63	6.36	97
25+35	2.12	2.88	5.00 1.55 - 5.40	1.480 - 1.920	0.350	-	1.920	6.94	6.63	6.36	97
25+42	1.87	3.13	5.00 1.56 - 5.40	1.400 - 1.680	0.350	-	1.680	6.56	6.28	6.01	97
35+35	2.50	2.50	5.00 1.56 - 5.40	1.450 - 1.750	0.340	-	1.750	6.79	6.50	6.23	97

### MXZ-2HA50VF MXZ-2HA50VF2 HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)			Current (A)			Power factor(%)	
	Unit A	Unit B	Total				220	230	240		
25	3.15	-	3.15 1.00 - 3.50	1.270 - 1.400	0.460	-	1.400	6.08	5.81	5.57	95
35	3.60	-	3.60 1.00 - 3.70	1.440 - 1.850	0.460	-	1.850	6.89	6.59	6.32	95
42	4.70	-	4.70 1.30 - 5.40	1.370 - 1.850	0.460	-	1.850	6.56	6.27	6.01	95
25+25	3.00	3.00	6.00 1.11 - 6.40	1.500 - 2.060	0.170	-	2.060	7.03	6.72	6.44	97
25+35	2.80	3.20	6.00 1.12 - 6.40	1.500 - 2.050	0.160	-	2.050	7.03	6.72	6.44	97
25+42	2.41	3.59	6.00 1.12 - 6.40	1.360 - 1.840	0.160	-	1.840	6.37	6.10	5.84	97
35+35	3.00	3.00	6.00 1.12 - 6.40	1.460 - 1.990	0.150	-	1.990	6.84	6.54	6.27	97

### MXZ-3HA50VF MXZ-3HA50VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
25	2.50	-	-	2.50 1.76 - 2.90	0.620 - 0.750	0.490	2.91	2.78	2.66	97	
35	3.40	-	-	3.40 1.78 - 3.40	0.900 - 0.900	0.490	4.22	4.03	3.87	97	
42	4.20	-	-	4.20 1.84 - 4.50	1.110 - 1.360	0.490	5.20	4.98	4.77	97	
50	5.00	-	-	5.00 1.84 - 5.00	1.930 - 1.930	0.490	9.04	8.65	8.29	97	
25+25	2.50	2.50	-	5.00 2.00 - 5.80	1.420 - 2.330	0.460	6.65	6.36	6.10	97	
25+35	2.12	2.88	-	5.00 2.00 - 6.00	1.390 - 2.500	0.450	6.51	6.23	5.97	97	
25+42	1.87	3.13	-	5.00 2.00 - 6.20	1.270 - 2.500	0.450	5.95	5.69	5.46	97	
25+50	1.67	3.33	-	5.00 2.00 - 6.20	1.270 - 2.500	0.440	5.95	5.69	5.46	97	
35+35	2.50	2.50	-	5.00 2.00 - 6.10	1.330 - 2.500	0.440	6.23	5.96	5.71	97	
35+42	2.24	2.76	-	5.00 2.00 - 6.30	1.240 - 2.500	0.440	5.81	5.56	5.33	97	
35+50	2.02	2.98	-	5.00 2.00 - 6.30	1.230 - 2.500	0.430	5.76	5.51	5.28	97	
42+42	2.50	2.50	-	5.00 2.00 - 6.40	1.170 - 2.500	0.430	5.48	5.24	5.03	97	
25+25+25	1.67	1.67	1.67	5.00 2.90 - 6.50	1.210 - 2.500	0.580	5.67	5.42	5.20	97	
25+25+35	1.49	1.49	2.02	5.00 2.90 - 6.50	1.130 - 2.450	0.570	5.30	5.06	4.85	97	

### MXZ-3HA50VF MXZ-3HA50VF2 HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total				220	230	240	
25	3.15	-	-	3.15 1.00 - 3.50	1.270 - 1.400	0.460	5.95	5.69	5.46	97	
35	3.60	-	-	3.60 1.00 - 3.70	1.440 - 1.480	0.460	6.75	6.45	6.19	97	
42	4.70	-	-	4.70 1.30 - 5.40	1.370 - 1.550	0.460	6.42	6.14	5.88	97	
50	5.40	-	-	5.40 1.40 - 6.50	1.550 - 2.650	0.460	7.26	6.95	6.66	97	
25+25	3.00	3.00	-	6.00 1.50 - 7.00	1.540 - 2.440	0.240	7.22	6.90	6.62	97	
25+35	2.80	3.20	-	6.00 2.19 - 7.20	1.520 - 2.700	0.290	7.12	6.81	6.53	97	
25+42	2.41	3.59	-	6.00 2.20 - 7.40	1.440 - 2.690	0.290	6.75	6.45	6.19	97	
25+50	2.21	3.79	-	6.00 2.20 - 7.40	1.420 - 2.690	0.290	6.65	6.36	6.10	97	
35+35	3.00	3.00	-	6.00 2.19 - 7.30	1.510 - 2.690	0.290	7.08	6.77	6.49	97	
35+42	2.60	3.40	-	6.00 2.20 - 7.40	1.430 - 2.690	0.290	6.70	6.41	6.14	97	
35+50	2.40	3.60	-	6.00 2.20 - 7.50	1.410 - 2.680	0.280	6.61	6.32	6.06	97	
42+42	3.00	3.00	-	6.00 2.22 - 7.50	1.380 - 2.690	0.280	6.47	6.19	5.93	97	
25+25+25	2.00	2.00	2.00	6.00 1.45 - 7.50	1.210 - 2.120	0.220	5.67	5.42	5.20	97	
25+25+35	1.91	1.91	2.18	6.00 1.45 - 7.50	1.200 - 2.120	0.200	5.62	5.38	5.15	97	